

Annex A.1.8.
(Non-Confidential version)


General Telcom Product Line Brochure (Loose Tube, Ribbon, Drop
and Specialty Fiber Cables)

Telecom Product Line

Loose Tube, Ribbon, Drop and Specialty Fiber Cables




Loose Tube Cables




Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1 LT 2.0™	All-Dielectric	E2G1JKT	E2D1JKT	4-456
	SA/SJ	E2G1A1J	E2D1A1J	4-456
	SA/DJ	E2G1A2J	E2D1A2J	4-456
	DA/DJ	E2G2A2J	E2D2A2J	4-288
	DA/TJ	E2G2A3J	E2D2A3J	4-288
	Dual Jacket NA	E2GNA2J	E2DNA2J	4-288
2 ExpressLT™	All-Dielectric	ETH1JKT	EDH1JKT	4-432
	SA/SJ	ETH1A1J	EDH1A1J	4-432
	SA/DJ	ETH1A2J	EDH1A2J	4-432
	DA/DJ	ETH2A2J	EDH2A2J	4-288
	DA/TJ	ETH2A3J	EDH2A3J	4-288
	Dual Jacket NA	ETHNA2J	EDHNA2J	4-288
3 CentralLT 600	Dielectric Armor	ETHDA2J	EDHDA2J	4-288
4 MicroUnitube™	SA/SJ	C6H1A1J	D6H1A1J	2-12
	All-Dielectric	UMH1JKT	--	2-12
	SA/SJ	UMR1A1J	--	2-24

OSP Ribbon Cables




Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1 FusionLink™ RICT (Gel)	All-Dielectric	RCC1JKT	--	12-864
	SA/SJ	RCC1A1J	--	12-864
	All-Dielectric	--	RCD1JKT	60-432, 612-864
	SA/SJ	--	RCD1A1J	60-432, 612-864
Dry FusionLink™ RICT (Coupled)	All-Dielectric	--	RCU1JKT	12-48, 576
	SA/SJ	--	RCU1A1J	12-48, 576
2 Dry FusionLink™ RICT (Uncoupled)	All-Dielectric	RLG1JKT	--	288-1728
	SA/SJ	RLG1A1J	--	288-1728
	SA/DJ	RLG1A2J	--	288-432
MassLink™ Multi-Tube Ribbon	All-Dielectric	RLF1JKT	--	432-6912
	SA/SJ	RLF1A1J	--	432-864
	SA/DJ	RLF1A2J	--	1728



	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1	ResiLink™ Flat Drop	A Dielectric	DFD1JKT	--	1-24
		B Toneable	DFDNATJ	--	1-24
2	ResiLink™ Universal Service Drop	Dielectric	D3D1JKT	--	1
		Toneable	D3DNATJ	--	1
3	Central LT 300	SA/SJ, with Ripcords	C3R1A1J	D3R1A1J	1-12
		SA/SJ, w/o Ripcords	C3H1A1J	D3H1A1J	1-12
4	ezDrop™ Figure 8	Non-Armored	DF81JKT	--	1-6

Drop Cables



	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1	ezMicroDuct™	≥ 10 mm ID duct	MDS1JKT	--	6-72
		≥ 10 mm ID duct	MDM1JKT-24	--	96-288
		≥ 12 mm ID duct	MDS1JKT	--	84-96
		≥ 12 mm ID duct	MDM1JKT-12	--	96-144
		≥ 13 mm ID duct	MDM1JKT-12	--	156-288
		≥ 14 mm ID duct	MDM1JKT-24	--	312-528
2	AeroLink™ Figure 8	All-Dielectric	F8A1JKT	F8D1JKT	12-216
		SA/SJ	F8A1A1J	F8D1A1J	12-216
3	ADSS EZSPAN™ Span	Single Jacket	ADES	ADFS	6-144
		Dual Jacket	ADED	--	6-144
4	ADSS Long Span	Single Jacket	ADLS	--	6-432
		Dual Jacket	ADLD	--	6-432
		Track Resistant Jacket	ADLT	--	6-432

Application Specific

Indoor/Outdoor Cables




Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
Indoor/Outdoor ezDistribution™	A Single Jacket, Non-Unitized	C1181-00	Riser	2 to 24
	B Interlock Armor	C1181AJ-00	Conductive Riser	2 to 24
	Single Jacket, Unitized	C1181-12	Riser	24 to 144
	C Interlock Armor	C1181AJ-12	Conductive Riser	24 to 144
	A LSZH Single Jacket, Non-Unitized	700-00	Riser - LS	2 to 24
	B LSZH Interlock Armor	700AJ-00	Conductive Riser - LS	2 to 24
	A Single Jacket, non-unitized	C1182-00	Plenum	2 to 24
	B Interlock Armor	C1182AJ-00	Conductive Plenum	2 to 24
	Single Jacket, unitized	C1182-12	Plenum	24 to 144
	C Interlock Armor	C1182AJ-12	Conductive Plenum	24 to 96
Indoor/Outdoor CampusLink™ Stranded Loose Tube Gel-Filled Tubes	Single Jacket	DRLTB-12	Riser	2 to 144
	Double Jacket	DRLTC-12	Riser	2 to 144
	Double Jacket with Corrugated Steel Armor	DRLTD-12	Conductive Riser	2 to 144
	Interlock Armor	DRLTBAJ-12	Conductive Riser	2 to 144
Indoor/Outdoor CampusLink™ Stranded Loose Tube Gel-Free Tubes	Single Jacket	DRLDB-12	Riser	2 to 288
	Double Jacket	DRLDC-12	Riser	2 to 144
	Double Jacket with Corrugated Steel Armor	DRLDD-12	Conductive Riser	2 to 144
	Interlock Armor	DRLDBAJ-12	Conductive Riser	2 to 288
	Single Jacket	DPLDB-12	Plenum	2 to 144
	Interlock Armor	DPLDB-12	Conductive Plenum	2 to 144
Indoor/Outdoor CampusLink™ Central Loose Tube Gel-Free Tube	Single Jacket	DRLDB-00	Riser	2 to 12
	Interlock Armor	DRLDBAJ-00	Conductive Riser	2 to 12
	LSZH - Single Jacket	DDL SZHB-00	Riser	2 to 12
	LSZH - Interlock Armor	DDL SZHBAJ-00	Conductive Riser	2 to 12
	Single Jacket	DPLDB-00	Plenum	2 to 12
	Interlock Armor	DPLDBAJ-00	Conductive Plenum	2 to 12

MFC Cables




Product Family	Sheath Design	Family P/N	Unit Size	Units	Flame Rating	Fiber Count
Micro Fiber Cable	Single Jacket	MFC14	1.4 mm	12f - Multi	Plenum	12-48
	Single Jacket	MFCL14	1.4 mm	12f - Multi	LSZH Riser	12-48
	Single Jacket	MFC20	2 mm	Single Unit	Plenum	8-12
	Single Jacket	MFC20	2 mm	8 or 12f - Multi	Plenum	8-216
	Interlock Armor	MFC20AJ	2 mm	8 or 12f - Multi	Plenum	8-144
	Single Jacket	MFC30	3 mm	Single Unit	Plenum	8-24
	Interlock Armor	MFC30AJ	3 mm	Single Unit	Plenum	8-24
	Single Jacket	MFC	3 mm	Single Unit	Plenum	8-12
	Single Jacket	MFC	3.8 mm	Single Unit	Plenum	16-24
	Single Jacket	MFC	3 mm	8 or 12f - Multi	Plenum	8-72
	Interlock Armor	MFCAJ	3 mm	8 or 12f - Multi	Plenum	8-72
	Double Jacket	MFCDJ	3 mm	Single Unit	Plenum	8-12
	Single Jacket	MFCL	3 mm	Single Unit	LSZH Riser	8-12
	Single Jacket	MFCL	3.8 mm	Single Unit	LSZH Riser	16-24
	Single Jacket Zipcord	MFCZ	3 mm	2 x 12f	Plenum	16-24
	Single Jacket	MFC36	3.6 mm	Single Unit	Plenum	16-24
	Single Jacket	MFCL36	3.6 mm	Single Unit	Plenum	16-24

Indoor and Indoor/Outdoor Ribbon Cables




	Product Family	Sheath Design	Family P/N	Tube	Indoor or Indoor/Outdoor	Flame Rating	Fiber Count
1	COLink™ Ribbon Central Tube	Single Jacket	RRCDK	Dry	Indoor	Riser	12-432
		Interlock Armor	RRCDKAJ	Dry	Indoor	Riser	12-432
		Single Jacket	RPCDK	Dry	Indoor	Plenum	12-144
2	FusionLink™ I/O Ribbon Central Tube	Single Jacket	RRIOCDK	Dry	Indoor/Outdoor	Riser	12-48 & 240-864
		Interlock Armor	RRIOCDKAJ	Dry	Indoor/Outdoor	Riser	12-48 & 240-864
		Single Jacket	RZIOCDK	Dry	Indoor/Outdoor	LSZH	48-144
		Single Jacket	RRCTK	Gel	Indoor/Outdoor	Riser	12-216 & 576-864
		Interlock Armor	RRCTKAJ	Gel	Indoor/Outdoor	Riser	12-216 & 576-864
3	COLink™ Multi-Tube Ribbon	Single Jacket	RRLDK	Dry	Indoor	Riser	144-576
		Interlock Armor	RRLDKAJ	Dry	Indoor	Riser	144-576
4	MassLink™ I/O Multi-Tube Ribbon	Single Jacket	RRLTK	Gel	Indoor/Outdoor	Riser	288-432
		Interlock Armor	RRLTKAJ	Gel	Indoor/Outdoor	Riser	288-432
		Single Jacket	RZLTK	Gel	Indoor/Outdoor	LSZH	288-432
		Single Jacket	RRIOLDK	Dry	Indoor/Outdoor	Riser	864-1728
4	MassLink™ Multi-Tube FlexRibbon	Single Jacket	RRIOLFK	Dry	Indoor/Outdoor	Riser	250µm fiber 864-1728
							200µm fiber 1728


Indoor Cables



Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
ezInterconnect™	A Simplex	516/520/529	Riser	1
		816/820/829	Plenum	1
		LSZH16/LSZH20/LSZH29	Riser - Low Smoke	1
	Zipcord	516Z/520Z/529Z	Riser	2
		816Z/820Z/829Z	Plenum	2
		LSZH16Z/LSZH20Z/LSZH29Z	Riser - Low Smoke	2
	B Duplex	529R	Riser	2
		829R	Plenum	2
	Quadplex	548R	Riser	4
		848R	Plenum	4



Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
Indoor ezDistribution™	Single Jacket, Non-Unitized	400-00	Riser	2 to 24
	Interlock Armor	400AJ-00	Conductive Riser	2 to 24
	Single Jacket, Unitized	400-12	Riser	24 to 144
	Interlock Armor	400AJ-12	Conductive Riser	24 to 144
	LSZH Single Jacket, Non-Unitized	600-00	Riser - LS	2 to 24
	LSZH Interlock Armor	600AJ-00	Conductive Riser - LS	2 to 24
	LSZH Single Jacket, Unitized	600-12	Riser - LS	24 to 144
	LSZH Interlock Armor	600AJ-12	Conductive Riser - LS	24 to 144
	Single Jacket, Non-Unitized	800-00	Plenum	2 to 24
	Interlock Armor	800AJ-00	Conductive Plenum	2 to 24
	Single Jacket, Unitized	800-12	Plenum	24 to 144
	Interlock Armor	800AJ-12	Conductive Plenum	24 to 144



	Product Family	Sheath Design	Family P/N	Tube	Indoor/Outdoor	Flame Rating	Fiber Count
1	Airguard™ XP Oil & Gas Chemical Resistant	Double Jacket All-Dielectric	XPRLTM	Gel-Filled	yes	OFNG-LS/FT4 ST1	2 to 288
		Single Jacket	XPRLTMB	Gel-Filled	yes	OFN	2 to 216
		Double Jacket Single Armor	XPRLTMD	Gel-Filled	yes	OFCG-LS/FT4 ST1	2 to 288
2	Industrial LSZH	Double Jacket All-Dielectric	IRZHC	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Single Jacket	IRZHB	Gel Free	yes	OFNG-LS/FT4 ST1	1 to 288
		Double Jacket Single Armor	IRZHD	Gel Free	yes	OFCR-LS/FT4 ST1	1 to 288
		Double Jacket Interlock Armor	IRZHBAJ	Gel Free	yes	OFCG-LS/FT4 ST1	1 to 288
3	Mining	Double Jacket All-Dielectric	RLTM	Gel-Filled	yes	OFNR/FT4	2-144
4	Transit	Single Jacket	DDLSZHB	Gel Free	yes	OFNG-LS/FT4 ST1	1 to 288
		Double Jacket All-Dielectric	DDLSZHC	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Single Jacket Single Armor	DDLSZHE	Gel Free	yes	OFCG-LS/FT4	1 to 288
		Double Jacket Interlock Armor	DDLSZHBAJ	Gel Free	yes	OFCG-LS/FT4 ST1	1 to 288
5	Pipeline Sensing	Custom	EDS	Gel Free	OSP Only	NA	Custom
		Custom	ETS	Gel-Filled	OSP Only	NA	Custom
6	FAA/Airport	Double Jacket	FAACF	Gel-Filled	OSP Only	NA	2 to 60

Specialty Cables

For more information, visit:

website: na.prysmiangroup.com/telecom

+1-800-669-0808

Linking communications to communities

